

22BH3

Half-Wave Vacuum Rectifier

NOVAR TYPE

For TV Damper Service

The 22BH3 is the same as the 6BH3 except for the following items:

Heater Characteristics and Ratings

Current.	I_h	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450A. . .	E_h	22.4	V
Warm-up time (Average)		11	s

22BH3A

Half-Wave Vacuum Rectifier

NOVAR TYPE

For TV Damper Service

The 22BH3A is the same as the 6BH3A except for the following items:

Heater Characteristics and Ratings

Current.	I_h	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450A. . .	E_h	22.4	V
Warm-up time (Average)		11	s

22DE4

Half-Wave Vacuum Rectifier

For TV Damper Service

The 22DE4 is the same as the 6DE4 except for the following items:

Heater Characteristics and Ratings

Current.	I_h	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450A. . .	E_h	22.4	V
Warm-up time (Average)		11	s



22JF6

Beam Power Tube

NOVAR TYPE

For Horizontal-Deflection-Amplifier Service
in Low-B+, Black-and-White TV Receivers

The 22JF6 is the same as the 6JF6 except for the following items:

Heater Characteristics and Ratings

Current	I_h	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450A	E_h	22.0	V
Warm-up time (Average)		11	s

