





T.			$U_f$ V	$I_f$ A	Cl.	$U_a$ V	$U_{g2}$ V	$U_{g1}$ V	$I_a$ mA	$I_{g2}$ mA	$I_{g1}$ mA	$U_{g1 \approx}$ V	$P_{dr}$ W	$P_o$ W	$P_{g2}$ W	$P_a$ W
1613 <sup>1)</sup>	amer	1	6,3	0,7	$\left\{ \begin{array}{l} \text{C-Tgr} \\ \text{C-Tlf} \\ \text{A-Mod} \\ \text{stat} \end{array} \right.$	$\left\{ \begin{array}{l} 350 \\ 350 \end{array} \right.$ $\left\{ \begin{array}{l} 275 \\ 275 \end{array} \right.$	200 275 200 275	-35 -100 -35 -100	50 50 42 50 31	10 10 10 10	3,5 5 2,8 5	70 maximum 65 maximum	0,22 maximum 0,16 maximum	9 6	2,5 2	10 7

$S = 2,5 \text{ mA/V}; U_{fik} = 100 \text{ V}; f = 45 \text{ MHz}$

<sup>1)</sup> vide 6 F 6 gr. 220



T.	$C_{g1}$ pF	$C_a$ pF	$C_{g1/a}$ pF
1613	6,5	13,5	0,26